

Art	Rote Liste Berlin 2005	Rote Liste Brandenburg 2000	Rote Liste Deutschland 2011
<i>Aglaoapis tridentata</i> (Nylander, 1848)		0	2
<i>Amegilla quadrifasciata</i> (Villers, 1789)	0	0	1
<i>Ammobates punctatus</i> (Fabricius, 1804)	3	*	2
<i>Ammobatoides abdominalis</i> (Eversmann, 1852)		0	0
<i>Andrena alfkenella</i> Perkins, 1914	*	*	V
<i>Andrena argentata</i> Smith, 1844	*	V	3
<i>Andrena barbilabris</i> (Kirby, 1802)	*	*	V
<i>Andrena batava</i> Pérez, 1902	*	*	G
<i>Andrena bicolor</i> Fabricius, 1775	*	*	*
<i>Andrena bimaculata</i> (Kirby, 1802)	G	V	V
<i>Andrena carantonica</i> Pérez, 1902	x	*	*
<i>Andrena chrysopus</i> Pérez, 1903		1	V
<i>Andrena chrysopyga</i> Schenck, 1853	0	2	2
<i>Andrena chrysosceles</i> (Kirby, 1802)	V	V	*
<i>Andrena cineraria</i> (Linnaeus, 1758)	3	*	*
<i>Andrena clarkella</i> (Kirby, 1802)	*	*	3
<i>Andrena combinata</i> (Christ, 1791)		2	3
<i>Andrena curvungula</i> Thomson, 1870		2	3
<i>Andrena denticulata</i> (Kirby, 1802)	V	V	V
<i>Andrena dorsata</i> (Kirby, 1802)	*	*	*
<i>Andrena falsifica</i> Perkins, 1915	V	*	*
<i>Andrena flavipes</i> Panzer, 1799	*	*	*
<i>Andrena florea</i> Fabricius, 1793	V	V	*
<i>Andrena floricola</i> Eversmann, 1852	2	2	2
<i>Andrena florivaga</i> Eversmann, 1852		G	*
<i>Andrena fucata</i> Smith, 1847	*	*	*
<i>Andrena fulva</i> (Müller, 1766)	*	*	*
<i>Andrena fulvago</i> (Christ, 1791)	3	3	3
<i>Andrena fulvida</i> Schenck, 1853		G	3
<i>Andrena fuscipes</i> (Kirby, 1802)	3	V	V
<i>Andrena gallica</i> Schmiedeknecht, 1883		1	2
<i>Andrena gelriae</i> Van der Vecht, 1927	0	3	3
<i>Andrena gravida</i> Imhoff, 1832	*	*	*
<i>Andrena haemorrhoea</i> (Fabricius, 1781)	x	*	*
<i>Andrena hattorfiana</i> (Fabricius, 1775)	2	*	3
<i>Andrena helvola</i> (Linnaeus, 1758)	*	*	*
<i>Andrena humilis</i> Imhoff, 1832	2	V	V
<i>Andrena labialis</i> (Kirby, 1802)	1	V	V
<i>Andrena labiata</i> Fabricius, 1781	V	*	*
<i>Andrena lapponica</i> Zetterstedt, 1838	3	V	V
<i>Andrena lathyri</i> Alfken, 1899	0	G	*
<i>Andrena marginata</i> Fabricius, 1776	0	0	2
<i>Andrena minutula</i> (Kirby, 1802)	*	*	*
<i>Andrena minutuloides</i> Perkins, 1914	*	*	*
<i>Andrena mitis</i> Schmiedeknecht, 1883	G	G	V
<i>Andrena morawitzi</i> Thomson, 1872	#	#	#
<i>Andrena morio</i> Brullé, 1832	0	0	0
<i>Andrena nana</i> (Kirby, 1802)		0	3

<i>Andrena nasuta</i> Giraud, 1863	0	2	2
<i>Andrena nigriceps</i> (Kirby, 1802)	1	2	2
<i>Andrena nigroaenea</i> (Kirby, 1802)	*	*	*
<i>Andrena nigrospina</i> Thomson, 1872	#	#	#
<i>Andrena nitida</i> (Müller, 1776)	*	*	*
<i>Andrena nitidiuscula</i> Schenck, 1853	2	3	3
<i>Andrena niveata</i> Friese, 1887		3	3
<i>Andrena nycthemera</i> Imhoff, 1868	3	3	3
<i>Andrena ovatula</i> (Kirby, 1802)	*	*	*
<i>Andrena pandellei</i> Pérez, 1895	2	3	3
<i>Andrena paucisquama</i> Noskiewicz, 1924		1	1
<i>Andrena pilipes</i> Fabricius, 1781	V	V	3
<i>Andrena potentillae</i> Panzer, 1809		2	2
<i>Andrena praecox</i> (Scopoli, 1763)	*	*	*
<i>Andrena propinqua</i> Schenck, 1853	#	#	#
<i>Andrena proxima</i> (Kirby, 1802)	G	G	*
<i>Andrena rosae</i> Panzer, 1801	1	2	3
<i>Andrena ruficrus</i> Nylander, 1848		V	G
<i>Andrena schencki</i> Morawitz, 1866		0	2
<i>Andrena semilaevis</i> Pérez, 1903	G	*	G
<i>Andrena similis</i> Smith, 1849		3	G
<i>Andrena simillima</i> Smith, 1851		0	1
<i>Andrena stragulata</i> Illiger, 1806		G	3
<i>Andrena stromella</i> Stoeckert, 1928	G	G	*
<i>Andrena subopaca</i> Nylander, 1848	*	*	*
<i>Andrena suerinensis</i> Friese, 1884		2	2
<i>Andrena synadelpha</i> Perkins, 1914	G	G	*
<i>Andrena tarsata</i> Nylander, 1848		2	2
<i>Andrena thoracica</i> (Fabricius, 1775)		1	2
<i>Andrena tibialis</i> (Kirby, 1802)	*	*	*
<i>Andrena vaga</i> Panzer, 1799	*	*	*
<i>Andrena varians</i> (Kirby, 1802)		G	*
<i>Andrena ventralis</i> Imhoff, 1832	*	*	*
<i>Andrena viridescens</i> Viereck, 1916		2	V
<i>Andrena wilkella</i> (Kirby, 1802)	V	*	*
<i>Anthidiellum strigatum</i> (Panzer, 1805)	*	*	V
<i>Anthidium manicatum</i> (Linnaeus, 1758)	*	*	*
<i>Anthidium oblongatum</i> (Illiger, 1806)	3	V	V
<i>Anthidium punctatum</i> Latreille, 1809	1	3	V
<i>Anthophora aestivalis</i> (Panzer, 1801)	1	3	3
<i>Anthophora bimaculata</i> (Panzer, 1798)	*	*	3
<i>Anthophora borealis</i> Morawitz, 1864		0	0
<i>Anthophora furcata</i> (Panzer, 1798)	3	V	V
<i>Anthophora plagiata</i> (Illiger, 1806)		1	2
<i>Anthophora plumipes</i> (Pallas, 1772)	*	*	*
<i>Anthophora pubescens</i> (Fabricius, 1781)		2	1
<i>Anthophora quadrimaculata</i> (Panzer, 1798)	V	V	V
<i>Anthophora retusa</i> (Linnaeus, 1758)	V	V	V
<i>Apis mellifera</i> Linnaeus, 1758	*	*	*
<i>Blastes brevicornis</i> (Panzer, 1798)		1	1
<i>Blastes emarginatus</i> (Schenck, 1853)		0	2

<i>Biastes truncatus</i> (Nylander, 1848)		0	3
<i>Bombus barbutellus</i> (Kirby, 1802)	0	0	*
<i>Bombus bohemicus</i> Seidl, 1838	*	*	*
<i>Bombus campestris</i> (Panzer, 1801)	*	*	*
<i>Bombus confusus</i> Schenck, 1861	0	2	1
<i>Bombus cryptarum</i> (Fabricius, 1775)	D	D	D
<i>Bombus distinguendus</i> Morawitz, 1869	1	3	2
<i>Bombus hortorum</i> (Linnaeus, 1761)	*	*	*
<i>Bombus humilis</i> Illiger, 1806	1	3	3
<i>Bombus hypnorum</i> (Linnaeus, 1758)	*	*	*
<i>Bombus jonellus</i> (Kirby, 1802)	0	2	3
<i>Bombus lapidarius</i> (Linnaeus, 1758)	*	*	*
<i>Bombus lucorum</i> (Linnaeus, 1761)	*	*	*
<i>Bombus magnus</i> Vogt, 1911	D	D	D
<i>Bombus muscorum</i> (Linnaeus, 1758)	1	V	2
<i>Bombus norvegicus</i> (Sparre-Schneider, 1918)	*	*	*
<i>Bombus pascuorum</i> (Scopoli, 1763)	*	*	*
<i>Bombus pomorum</i> (Panzer, 1805)	0	1	2
<i>Bombus pratorum</i> (Linnaeus, 1761)	*	*	*
<i>Bombus quadricolor</i> (Lepeletier, 1832)		0	2
<i>Bombus ruderarius</i> (Müller, 1776)	3	*	3
<i>Bombus ruderatus</i> (Fabricius, 1775)	0	G	D
<i>Bombus rupestris</i> (Fabricius, 1793)	*	*	*
<i>Bombus semenoviellus</i> Skorikov, 1910	*	D	*
<i>Bombus soroeensis</i> (Fabricius, 1776)	3	3	V
<i>Bombus subterraneus</i> (Linnaeus, 1758)	1	G	2
<i>Bombus sylvarum</i> (Linnaeus, 1761)	V	*	V
<i>Bombus sylvestris</i> (Lepeletier, 1832)	*	*	*
<i>Bombus terrestris</i> (Linnaeus, 1758)	*	*	*
<i>Bombus vestalis</i> (Geoffroy, 1785)	*	*	*
<i>Bombus veteranus</i> (Fabricius, 1793)	1	3	3
<i>Ceratina cyanea</i> (Kirby, 1802)	*	*	*
<i>Chelostoma campanularum</i> (Kirby, 1802)	*	*	*
<i>Chelostoma distinctum</i> (Stoeckert, 1929)		*	*
<i>Chelostoma florisomne</i> (Linnaeus, 1758)	V	*	*
<i>Chelostoma rapunculi</i> (Lepeletier, 1841)	*	*	*
<i>Coelioxys afra</i> Lepeletier, 1841	2	3	3
<i>Coelioxys aurolimbata</i> Förster, 1853	3	*	V
<i>Coelioxys brevis</i> Eversmann, 1852	0	2	2
<i>Coelioxys conica</i> (Linnaeus, 1758)	*	*	V
<i>Coelioxys conoidea</i> (Illiger, 1806)	*	*	3
<i>Coelioxys echinata</i> Förster, 1853	3	V	*
<i>Coelioxys elongata</i> Lepeletier, 1841	V	*	*
<i>Coelioxys inermis</i> (Kirby, 1802)	G	*	*
<i>Coelioxys mandibularis</i> Nylander, 1848	V	*	*
<i>Coelioxys rufescens</i> Lepeletier & Serville, 1825	2	V	V
<i>Colletes caspicus</i> Morawitz, 1874	0	0	0
<i>Colletes cunicularius</i> (Linnaeus, 1761)	*	*	*
<i>Colletes daviesanus</i> Smith, 1846	*	*	*
<i>Colletes fodiens</i> (Geoffroy, 1785)	*	*	3
<i>Colletes marginatus</i> Smith, 1846	2	3	3

<i>Colletes nasutus</i> Smith, 1853		3	2
<i>Colletes similis</i> Schenck, 1853	*	*	V
<i>Colletes succinctus</i> (Linnaeus, 1758)	V	V	V
<i>Dasypoda argentata</i> Panzer, 1809		0	1
<i>Dasypoda hirtipes</i> (Fabricius, 1793)	*	*	V
<i>Dasypoda suripes</i> (Christ, 1791)		1	0
<i>Dufourea dentiventris</i> (Nylander, 1848)	0	0	3
<i>Dufourea halictula</i> (Nylander, 1852)		2	2
<i>Epeoloides coecutiens</i> (Fabricius, 1775)	*	*	*
<i>Epeolus cruciger</i> (Panzer, 1799)	2	V	3
<i>Epeolus schummeli</i> Schilling, 1849		2	1
<i>Epeolus variegatus</i> (Linnaeus, 1758)	*	*	V
<i>Eucera interrupta</i> Baer, 1850		3	3
<i>Eucera longicornis</i> (Linnaeus, 1758)	2	3	V
<i>Eucera nigrescens</i> Pérez, 1879	0	G	*
<i>Halictus confusus</i> Smith, 1853	*	*	*
<i>Halictus eurygnathus</i> Blüthgen, 1931	0	0	*
<i>Halictus leucaheneus</i> Ebmer, 1972	V	V	3
<i>Halictus maculatus</i> Smith, 1848		*	*
<i>Halictus quadricinctus</i> (Fabricius, 1776)	2	V	3
<i>Halictus rubicundus</i> (Christ, 1791)	*	*	*
<i>Halictus semitectus</i> Morawitz, 1874	G	G	G
<i>Halictus sexcinctus</i> (Fabricius, 1775)	3	*	3
<i>Halictus simplex</i> Blüthgen, 1923		G	*
<i>Halictus smaragdulus</i> Vachal, 1895	1	1	3
<i>Halictus subauratus</i> (Rossi, 1792)	V	*	*
<i>Halictus tumulorum</i> (Linnaeus, 1758)	*	*	*
<i>Heriades crenulatus</i> Nylander, 1856	*	V	*
<i>Heriades truncorum</i> (Linnaeus, 1758)	*	*	*
<i>Hoplitis adunca</i> (Panzer, 1798)	*	*	*
<i>Hoplitis anthocopoides</i> (Schenck, 1853)	V	V	3
<i>Hoplitis claviventris</i> (Thomson, 1872)	*	*	*
<i>Hoplitis leucomelana</i> (Kirby, 1802)	*	*	*
<i>Hoplitis papaveris</i> (Latreille, 1799)		1	1
<i>Hoplitis tridentata</i> (Dufour & Perris, 1840)	1	3	3
<i>Hoplosmia spinulosa</i> (Kirby, 1802)		V	3
<i>Hylaeus angustatus</i> (Schenck, 1861)	*	*	*
<i>Hylaeus brevicornis</i> Nylander, 1852	*	*	*
<i>Hylaeus cardioscapus</i> Cockerell, 1924		G	R
<i>Hylaeus clypearis</i> (Schenck, 1853)	*	*	*
<i>Hylaeus communis</i> Nylander, 1852	*	*	*
<i>Hylaeus confusus</i> Nylander, 1852	*	*	*
<i>Hylaeus cornutus</i> Curtis, 1831	V	*	*
<i>Hylaeus difformis</i> (Eversmann, 1852)	0	G	*
<i>Hylaeus dilatatus</i> (Kirby, 1802)	*	*	*
<i>Hylaeus gracilicornis</i> (Morawitz, 1867)		D	*

<i>Hylaeus gredleri</i> Förster, 1871	*	*	*
<i>Hylaeus hyalinatus</i> Smith, 1842	*	*	*
<i>Hylaeus incongruus</i> Förster, 1871	*	*	*
<i>Hylaeus leptocephalus</i> (Morawitz, 1870)	V	*	*
<i>Hylaeus lineolatus</i> (Schenck, 1861)		G	G
<i>Hylaeus moricei</i> (Friese, 1898)	2	3	G
<i>Hylaeus nigritus</i> (Fabricius, 1798)	2	V	*
<i>Hylaeus paulus</i> Bridwell, 1919	*	*	*
<i>Hylaeus pectoralis</i> Förster, 1871		3	3
<i>Hylaeus pfankuchi</i> (Alfken, 1919)	0	G	3
<i>Hylaeus pictipes</i> Nylander, 1852	V	*	*
<i>Hylaeus punctatus</i> (Brullé, 1832)	D	*	*
<i>Hylaeus punctulatissimus</i> Smith, 1842		G	G
<i>Hylaeus rinki</i> (Gorski, 1852)		G	*
<i>Hylaeus signatus</i> (Panzer, 1798)	*	*	*
<i>Hylaeus sinuatus</i> (Schenck, 1853)	*	*	*
<i>Hylaeus styriacus</i> Förster, 1871	G	G	*
<i>Hylaeus variegatus</i> (Fabricius, 1798)	1	3	V
<i>Lasioglossum aeratum</i> (Kirby, 1802)	2	3	3
<i>Lasioglossum albipes</i> (Fabricius, 1781)	*	*	*
<i>Lasioglossum brevicorne</i> (Schenck, 1868)	*	V	3
<i>Lasioglossum calceatum</i> (Scopoli, 1763)	*	*	*
<i>Lasioglossum convexiusculum</i> (Schenck, 1853)		1	2
<i>Lasioglossum costulatum</i> (Kriechbaumer, 1873)	0	3	3
<i>Lasioglossum euboense</i> (Strand, 1909)		0	2
<i>Lasioglossum fratellum</i> (Pérez, 1903)	*	*	*
<i>Lasioglossum fulvicorne</i> (Kirby, 1802)		*	*
<i>Lasioglossum glabriusculum</i> (Morawitz, 1872)		D	*
<i>Lasioglossum intermedium</i> (Schenck, 1868)	3	3	3
<i>Lasioglossum interruptum</i> (Panzer, 1798)	0	0	3
<i>Lasioglossum laeve</i> (Kirby, 1802)	0	0	1
<i>Lasioglossum laevigatum</i> (Kirby, 1802)		0	3
<i>Lasioglossum laticeps</i> (Schenck, 1868)	*	*	*
<i>Lasioglossum lativentre</i> (Schenck, 1853)		3	V
<i>Lasioglossum leucopus</i> (Kirby, 1802)	*	*	*
<i>Lasioglossum leucozonium</i> (Schrank, 1781)	*	*	*
<i>Lasioglossum limbellum</i> (Morawitz, 1876)		D	3
<i>Lasioglossum lineare</i> (Schenck, 1868)	0	3	3
<i>Lasioglossum lucidulum</i> (Schenck, 1861)	*	*	*
<i>Lasioglossum majus</i> (Nylander, 1852)		2	3
<i>Lasioglossum malachurum</i> (Kirby, 1802)	3	V	*
<i>Lasioglossum minutissimum</i> (Kirby, 1802)	*	*	*
<i>Lasioglossum minutulum</i> (Schenck, 1853)		G	3
<i>Lasioglossum morio</i> (Fabricius, 1793)	*	*	*
<i>Lasioglossum nitidiusculum</i> (Kirby, 1802)	2	*	V
<i>Lasioglossum nitidulum</i> (Fabricius, 1804)	*	*	*
<i>Lasioglossum pallens</i> (Brullé, 1832)		G	*
<i>Lasioglossum parvulum</i> (Schenck, 1853)	*	*	V
<i>Lasioglossum pauxillum</i> (Schenck, 1853)	*	*	*
<i>Lasioglossum politum</i> (Schenck, 1853)		0	*
<i>Lasioglossum prasinum</i> (Smith, 1848)	0	1	2
<i>Lasioglossum punctatissimum</i> (Schenck, 1853)	*	*	*
<i>Lasioglossum quadrinotatum</i> (Schenck, 1861)	V	V	3
<i>Lasioglossum quadrinotatum</i> (Kirby, 1802)	2	*	3
<i>Lasioglossum rufitarse</i> (Zetterstedt, 1838)	*	*	*

<i>Lasioglossum sabulosum</i> (Warncke, 1986)	*	#	D
<i>Lasioglossum semilucens</i> (Alfken, 1914)	V	G	*
<i>Lasioglossum setulosum</i> (Strand, 1909)	2	3	3
<i>Lasioglossum sexmaculatum</i> (Schenck, 1853)		2	G
<i>Lasioglossum sexnotatum</i> (Kirby, 1802)	V	V	3
<i>Lasioglossum sexstrigatum</i> (Schenck, 1868)	*	*	*
<i>Lasioglossum subfasciatum</i> (Imhoff, 1832)		2	1
<i>Lasioglossum tarsatum</i> (Schenck, 1868)	2	V	2
<i>Lasioglossum villosulum</i> (Kirby, 1802)	*	*	*
<i>Lasioglossum xanthopus</i> (Kirby, 1802)	2	V	*
<i>Lasioglossum zonulum</i> (Smith, 1848)	3	*	*
<i>Macropis europaea</i> Warncke, 1973	*	*	*
<i>Macropis fulvipes</i> (Fabricius, 1804)	V	*	*
<i>Megachile alpicola</i> Alfken, 1924	V	*	*
<i>Megachile apicalis</i> Spinola, 1808	0	0	2
<i>Megachile bombycina</i> Radoszkowski, 1874		0	0
<i>Megachile centuncularis</i> (Linnaeus, 1758)	3	V	V
<i>Megachile circumcincta</i> (Kirby, 1802)	*	*	V
<i>Megachile ericetorum</i> Lepeletier, 1841	*	*	*
<i>Megachile genalis</i> Morawitz, 1880	2	G	2
<i>Megachile lagopoda</i> (Linnaeus, 1761)	0	3	2
<i>Megachile lapponica</i> Thomson, 1872	V	*	*
<i>Megachile leachella</i> Curtis, 1828	3	V	3
<i>Megachile ligniseca</i> (Kirby, 1802)	*	*	2
<i>Megachile maackii</i> Radoszkowski, 1874		D	0
<i>Megachile maritima</i> (Kirby, 1802)	*	*	3
<i>Megachile pilidens</i> Alfken, 1924	2	3	3
<i>Megachile rotundata</i> (Fabricius, 1787)	*	*	*
<i>Megachile versicolor</i> Smith, 1844	*	*	*
<i>Megachile willughbiella</i> (Kirby, 1802)	*	*	*
<i>Melecta albifrons</i> (Forster, 1771)	*	*	*
<i>Melecta luctuosa</i> (Scopoli, 1770)	2	3	3
<i>Melitta haemorrhoidalis</i> (Fabricius, 1775)	*	*	*
<i>Melitta leporina</i> (Panzer, 1799)	*	*	*
<i>Melitta nigricans</i> Alfken, 1905	*	V	*
<i>Melitta tricincta</i> Kirby, 1802		2	V
<i>Melitta wankowiczi</i> (Radoszkowski, 1891)		0	0
<i>Melitturga clavicornis</i> (Latreille, 1806)		0	0
<i>Nomada alboguttata</i> Herrich-Schäffer, 1839	*	*	*
<i>Nomada armata</i> Herrich-Schäffer, 1839	1	*	3
<i>Nomada baccata</i> Smith, 1844		V	2
<i>Nomada bifasciata</i> Olivier, 1811	*	*	*
<i>Nomada castellana</i> Dusmet, 1913	D	D	*
<i>Nomada conjungens</i> Herrich-Schäffer, 1839	1	G	*
<i>Nomada distinguenda</i> Morawitz, 1874	0	0	G
<i>Nomada errans</i> Lepeletier, 1841		G	2
<i>Nomada fabriciana</i> (Linnaeus, 1767)	*	*	*
<i>Nomada femoralis</i> Morawitz, 1869	0	V	2
<i>Nomada ferruginata</i> (Linnaeus, 1767)	*	*	*
<i>Nomada flava</i> Panzer, 1798	*	*	*

<i>Nomada flavoguttata</i> (Kirby, 1802)	*	*	*
<i>Nomada flavopicta</i> (Kirby, 1802)	*	*	*
<i>Nomada fucata</i> Panzer, 1798	*	*	*
<i>Nomada fulvicornis</i> Fabricius, 1793	*	*	*
<i>Nomada furva</i> Panzer, 1798		D	D
<i>Nomada fuscicornis</i> Nylander, 1848	3	*	*
<i>Nomada goodeniana</i> (Kirby, 1802)	*	*	*
<i>Nomada guttulata</i> Schenck, 1861	0	G	*
<i>Nomada integra</i> Brullé, 1832		G	G
<i>Nomada italica</i> Dalla Torre & Friese, 1894		0	0
<i>Nomada lathburiana</i> (Kirby, 1802)	*	*	*
<i>Nomada leucophthalma</i> (Kirby, 1802)	*	*	*
<i>Nomada marshamella</i> (Kirby, 1802)	*	*	*
<i>Nomada minuscula</i> Noskiewicz, 1930	#	#	#
<i>Nomada moeschleri</i> Alfken, 1913	*	*	*
<i>Nomada mutabilis</i> Morawitz, 1870		1	1
<i>Nomada obscura</i> Zetterstedt, 1838		D	*
<i>Nomada panzeri</i> Lepeletier, 1841	*	*	*
<i>Nomada pulchra</i> Arnold, 1888		D	0
<i>Nomada rhenana</i> Morawitz, 1872	0	0	G
<i>Nomada roberjeotiana</i> Panzer, 1799	G	G	G
<i>Nomada rostrata</i> Herrich-Schäffer, 1839		1	1
<i>Nomada ruficornis</i> (Linnaeus, 1758)	*	*	*
<i>Nomada rufipes</i> Fabricius, 1793	2	V	V
<i>Nomada sexfasciata</i> Panzer, 1799		3	*
<i>Nomada sheppardana</i> (Kirby, 1802)	*	*	*
<i>Nomada signata</i> Jurine, 1807	*	*	*
<i>Nomada similis</i> Morawitz, 1872		G	G
<i>Nomada stigma</i> Fabricius, 1804	1	V	*
<i>Nomada striata</i> Fabricius, 1793	2	*	*
<i>Nomada succincta</i> Panzer, 1798		*	*
<i>Nomada zonata</i> Panzer, 1798	*	*	V
<i>Osmia aurulenta</i> (Panzer, 1799)	*	*	*
<i>Osmia bicolor</i> (Schrank, 1781)	1	3	*
<i>Osmia bicornis</i> (Linnaeus, 1758)	*	*	*
<i>Osmia brevicornis</i> (Fabricius, 1798)	2	3	G
<i>Osmia caerulescens</i> (Linnaeus, 1758)	*	*	*
<i>Osmia cornuta</i> (Latreille, 1805)	D	D	*
<i>Osmia leaiana</i> (Kirby, 1802)	3	V	3
<i>Osmia mustelina</i> Gerstäcker, 1869	2	V	2
<i>Osmia niveata</i> (Fabricius, 1804)	3	3	3
<i>Osmia parietina</i> Curtis, 1828		G	3
<i>Osmia pilicornis</i> Smith, 1846	0	0	G
<i>Osmia rufohirta</i> Latreille, 1811		1	3
<i>Osmia uncinata</i> Gerstäcker, 1869	V	*	G
<i>Panurginus labiatus</i> (Eversmann, 1852)		0	0
<i>Panurgus banksianus</i> (Kirby, 1802)		G	*
<i>Panurgus calcaratus</i> (Scopoli, 1763)	*	*	*
<i>Pseudoanthidium melanurum</i> (Klug, 1832)		D	0
<i>Pseudoanthidium nanum</i> (Mocsáry, 1879)	1	0	3
<i>Rophites algirus</i> Pérez, 1895		1	3

<i>Rophites canus</i> Eversmann, 1852	2	3	V
<i>Rophites quinquespinosus</i> Spinola, 1808		3	2
<i>Sphecodes albilabris</i> (Fabricius, 1793)	*	*	*
<i>Sphecodes crassus</i> Thomson, 1870	*	*	*
<i>Sphecodes cristatus</i> Hagens, 1882	2	V	G
<i>Sphecodes ephippius</i> (Linnaeus, 1767)	*	*	*
<i>Sphecodes ferruginatus</i> Hagens, 1882	*	*	*
<i>Sphecodes geoffrellus</i> (Kirby, 1802)	*	*	*
<i>Sphecodes gibbus</i> (Linnaeus, 1758)	*	*	*
<i>Sphecodes hyalinatus</i> Hagens, 1882		*	*
<i>Sphecodes longulus</i> Hagens, 1882	*	*	*
<i>Sphecodes marginatus</i> Hagens, 1882	*	*	*
<i>Sphecodes miniatus</i> Hagens, 1882	*	*	*
<i>Sphecodes monilicornis</i> (Kirby, 1802)	*	*	*
<i>Sphecodes niger</i> Hagens, 1874	*	*	*
<i>Sphecodes pellucidus</i> Smith, 1845	*	*	V
<i>Sphecodes puncticeps</i> Thomson, 1870	*	*	*
<i>Sphecodes reticulatus</i> Thomson, 1870	*	*	*
<i>Sphecodes rubicundus</i> Hagens, 1875		V	3
<i>Sphecodes scabricollis</i> Wesmael, 1835	1	D	G
<i>Sphecodes spinulosus</i> Hagens, 1875		V	G
<i>Stelis breviscula</i> (Nylander, 1848)	*	*	*
<i>Stelis minima</i> Schenck, 1861	D	*	*
<i>Stelis minuta</i> Lepeletier & Serville, 1825	V	*	*
<i>Stelis ornatula</i> (Klug, 1807)	G	*	*
<i>Stelis phaeoptera</i> (Kirby, 1802)	0	3	3
<i>Stelis punctulatissima</i> (Kirby, 1802)	*	*	*
<i>Stelis signata</i> (Latreille, 1809)	V	V	3
<i>Systropha curvicornis</i> (Scopoli, 1770)	3	3	3
<i>Tetralonia macroglossa</i> (Illiger, 1806)	0	0	2
<i>Tetraloniella dentata</i> (Germar, 1839)	1	3	2
<i>Tetraloniella salicariae</i> (Lepeletier, 1841)	0	1	3
<i>Thyreus histrionicus</i> (Illiger, 1806)	0	0	0
<i>Thyreus orbatus</i> (Lepeletier, 1841)	2	3	2
<i>Trachusa byssinum</i> (Panzer, 1798)	1	3	3
<i>Xylocopa violacea</i> (Linnaeus, 1758)	0	D	*